

Test Report No.: USAAH230080 Report Date: July 31, 2023

TEST REPORT

Client: Supacolor

12705 Daphne Ave

Hawthorne, CA 90250

Attention: Marcello Venturelli

E-Mail: marcello@supacolor.com

Sample Description as Declared:

Sample Description: Supacolor Soft Shell Blocker

Color: Various

Style #: Soft Shell Blocker

Fabric/Garment Weight: Not Provided

Fiber Content: Not Provided

No. of Samples: 50

End Use: Heat transfer onto apparel

Care Instructions: See Product
Previous Report #: USA00037822
Sample Received Date: July 12, 2023
Final Confirmation Date: July 26, 2023

Test Period: July 26, 2023 – July 31, 2023

OVERALL CONCLUSION:

Standard

Total Lead Content in Paint and Surface Coatings
 Determination of Phthalates
 Pass
 Pass

Determination of Prithalates 2. P



For and on behalf of Intertek

Edwin Serrano

Edwin Serrano

Intertek

545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005

Telephone: 847-871-1020 Fax: 847-439-6156



Result





Test Report No.: USAAH230080

Report Date: July 31, 2023

Test Performed As Requested by Client:

TEST RESULTS:

1. Total Lead Content in Paint and Surface Coatings

Test Method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings (Modified).

Tested By: ICP

Requirement:

1. 16 CFR 1303 BAN OF LEAD-CONTAINING PAINT AND CERTAIN CONSUMER PRODUCTS BEARING LEAD-CONTAINING PAINT.

Consumer Product Safety Improvement Act, Section 101 Total Lead Content in Paint and Other Similar Surface Coatings.

Each accessible component shall not contain more than 90 ppm of lead in children's products.

2. California Health and Safety Code; Sections 25249.5 et seq. (Proposition 65) reference: Sample Description / Proposition 65 Case Number/ Lead Limit

Clothing (Apparel) (All age)/ SF-450658/ 30 ppm

Test Results:

Component	Sample Description	Results (ppm)	CPSIA	Prop 65
Number			Limit (ppm)	Limit (ppm)
1	Multi-color coating with adhesive – Heat Transfers (All Designs)	<10.0	90	30

Conclusion:

CPSIA requirements: PASS

Telephone: 847-871-1020 Fax: 847-439-6156

Proposition 65 Requirements: PASS









Test Report No.: USAAH230080 Report Date: July 31, 2023

2. Determination of Phthalates

Test Method: CPSC-CH-C1001-09.4 Standard Operating Procedure for the Determination of Phthalates.

Requirements:

16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates, check CPSC and CPSIA requirements.

- *CPSC -The United States Consumer Product Safety Commission rule prohibits children's toys and child care articles to contain phthalate concentrations of more than 0.1 percent (1000 ppm) in plasticized components.
- ***CPSIA The Consumer Product Safety Improvement Act Section 108(a)** prohibits the manufacture for sale, offer for sale, distribution in commerce, or importation into the United States of any **children's toy or child care article** that contains phthalate concentrations of more than 0.1 percent (1000 ppm) in plasticized components.
- *California Health and Safety Code; Sections 25249.5 et seq. (Proposition 65) reference:

 SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: CHEMICALS KNOWN TO THE

 STATE TO CAUSE CANCER OR REPRODUCTIVE TOXICITY LIST (Rev. 29DEC2017) identifies the
 following phthalates and testing is recommended:

Di(2-ethylhexyl)phthalate (DEHP)

Di-n-hexyl phthalate (DnHP)

Di-n-butyl phthalate (DBP)

Di-isodecyl phthalate (DIDP)

Diisononyl phthalate (DINP)

Butyl benzyl phthalate (BBP)

Sample Description / Proposition 65 Case Number/ Phthalates of interest Clothing (Apparel) (All age) / CIV-1103513/ DEHP, DBP, BBP, DIDP and DINP







Test Report No.: USAAH230080 Report Date: July 31, 2023

Test Results:

Regulated Phthalates	Result (ppm)	Limit
	1	(ppm)
Diisobutyl Phthalate (DIBP)	<50	1000
Di-n-pentyl Phthalate (DPENP)	<50	1000
Dicyclohexyl Phthalate (DCHP)	<50	1000
Di-n-hexyl Phthalate(DHEXP/DnHP)	<50	1000
Diisononyl Phthalate (DINP)	<50	1000
Dibutyl Phthalate (DBP)	<50	1000
Butyl Benzyl Phthalate (BBP)	<50	1000
Diethyl Hexyl Phthalate (DEHP)	<50	1000
Di-iso-decyl Phthalate (DIDP)	<50	1000

Component Number	Component Description
1	Multi-color coating with adhesive – Heat Transfers (All Designs)

Conclusion:

CPSIA / CPSC requirements: PASS Proposition 65 Requirements: PASS

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of Intertek.

If you need assistance in interpreting these results or if you have any questions, please feel free to call Customer Service Department

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Intertek

545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005 Telephone: 847-871-1020 Fax: 847-439-6156



