

TEST REPORT

Client:	Supacolor
	12705 Daphne Ave
	Hawthorne, CA 90250
Attention:	Marcello Venturelli
E-Mail:	marcello@supacolor.com

Sample Description as Declared :

Sample Description: Color:	Supacolor wearable Various
Style # :	Wearable
Fabric/Garment Weight:	Not Provided
Fiber Content:	Not Provided
No. of Samples:	50
End Use:	Heat transfer onto apparel
Care Instructions:	Not Provided
Previous Report #:	USA00037823
Sample Received Date:	July 12, 2023
Final Confirmation Date:	July 26, 2023
Test Period:	July 26, 2023 – July 31, 2023

OVERALL CONCLUSION:

<u>Standard</u>	<u>Result</u>
1. Total Lead Content in Paint and Surface Coatings	1. Pass
2. Determination of Phthalates	2. Pass



For and on behalf of Intertek

Edwin Serrano

Edwin Serrano

Intertek

545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005 Telephone: 847-871-1020 Fax: 847-439-6156





Test Performed As Requested by Client:

TEST RESULTS:

1. Total Lead Content in Paint and Surface Coatings

Test Method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings (Modified).

Tested By: ICP

Requirement:

1. 16 CFR 1303 BAN OF LEAD-CONTAINING PAINT AND CERTAIN CONSUMER PRODUCTS BEARING LEAD-CONTAINING PAINT.

Consumer Product Safety Improvement Act, Section 101 Total Lead Content in Paint and Other Similar Surface Coatings.

Each accessible component shall not contain more than 90 ppm of lead in children's products.

2. California Health and Safety Code; Sections 25249.5 et seq. (Proposition 65) reference: Sample Description / Proposition 65 Case Number/ Lead Limit

Clothing (Apparel) (All age)/ SF-450658/30 ppm

Test Results:

Compor Numb	Sample Description	Results (ppm)	CPSIA Limit (ppm)	Prop 65 Limit (ppm)
1	Multi-color coating with Adhesive – Heat Transfers (All Designs)	<10.0	90	30

Conclusion: CPSIA requirements: PASS Proposition 65 Requirements: PASS

Intertek

545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005 Telephone: 847-871-1020 Fax: 847-439-6156





2. Determination of Phthalates

Test Method: CPSC-CH-C1001-09.4 Standard Operating Procedure for the Determination of Phthalates.

Requirements:

16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates, check CPSC and CPSIA requirements.

- 1. *CPSC -The United States Consumer Product Safety Commission rule prohibits children's toys and child care articles to contain phthalate concentrations of more than 0.1 percent (1000 ppm) in plasticized components.
- 2. *CPSIA The Consumer Product Safety Improvement Act Section 108(a) prohibits the manufacture for sale, offer for sale, distribution in commerce, or importation into the United States of any children's toy or child care article that contains phthalate concentrations of more than 0.1 percent (1000 ppm) in plasticized components.
- **3. *California Health and Safety Code; Sections 25249.5 et seq. (Proposition 65) reference:** SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: CHEMICALS KNOWN TO THE STATE TO CAUSE CANCER OR REPRODUCTIVE TOXICITY LIST (Rev. 29DEC2017) identifies the following phthalates and testing is recommended:

Di(2-ethylhexyl)phthalate (DEHP) Di-n-hexyl phthalate (DnHP) Di-n-butyl phthalate (DBP) Di-isodecyl phthalate (DIDP) Diisononyl phthalate (DINP) Butyl benzyl phthalate (BBP)

Sample Description / Proposition 65 Case Number/ Phthalates of interest Clothing (Apparel) (All age)/ CIV-1103513/ DEHP, DBP, BBP, DIDP and DINP

Intertek 545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005 Telephone: 847-871-1020 Fax: 847-439-6156





Test Results:

Regulated Phthalates	Result (ppm)	Limit
	1	(ppm)
Diisobutyl Phthalate (DIBP)	<50	1000
Di-n-pentyl Phthalate (DPENP)	<50	1000
Dicyclohexyl Phthalate (DCHP)	<50	1000
Di-n-hexyl Phthalate(DHEXP/DnHP)	<50	1000
Diisononyl Phthalate (DINP)	<50	1000
Dibutyl Phthalate (DBP)	<50	1000
Butyl Benzyl Phthalate (BBP)	<50	1000
Diethyl Hexyl Phthalate (DEHP)	<50	1000
Di-iso-decyl Phthalate (DIDP)	<50	1000

Component Number	Component Description
1	Multi-color coating with Adhesive – Heat Transfers (All Designs)

Conclusion: CPSIA / CPSC requirements: PASS Proposition 65 Requirements: PASS

The test results stated in this report relate only to the item(s) tested. This test report may not be reproduced except in full, without written approval of Intertek.

If you need assistance in interpreting these results or if you have any questions, please feel free to call Customer Service Department

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

Intertek 545 E Algonquin Road, Suite H Arlington Heights, Illinois 60005 Telephone: 847-871-1020 Fax: 847-439-6156

